

Page 3



Create brilliant and dramatic holiday displays with rugged 5MM LED lights. Provide extraordinary brightness and reduced energy costs. Wide angle, conical concave lensing for 360 degrees


 Reduce tangling or bulging, resulting in a clean and polished appearance.

of saturated color, casting light in every direction.

- Create a professional display with a low profile that hugs to the
- Pre-balled packaging simplifies installation, reducing labor costs up to 30 percent.

Ewing SKU

29553010



- Surface mounted diode (SMD) LED technology creates a brighter, more uniformed radiance from base-to-tip, with no hot spots and less wattage.
- Single piece construction made of high-quality polycarbonate that is nearly unbreakable and will not fade, chip or crack.
- Dimmable for better brightness control.

**Faceted Cut Bulbs** 

- Infused saturated color throughout the bulb and even color and vibrancy from bulb-to-bulb.
- These bulbs have all the benefits of traditional LED bulbs including reduction in energy usage up to 90 percent, cool to the touch and a long life span.

**Superbrite SMD LED C9 Brilliant** 

- C9 Opticore bulbs come in 500 bulbs per case, C7 Opticore bulbs come in 1,000 bulbs per case.
- Opticore SMD bulbs are 2x thicker than SMD polystyrene and acrylic bulbs, creating a superior bulb that is:
  - Single piece construction-no glue joint, eliminating moisture intrusion.
  - Deeper faceted cuts for even brightness base-to-tip.

FIND OUT **WHAT MAKES** THIS PRODUCT SO UNIQUE.



#### Deeper diamond facets generate a beautiful, more even light halo. 60,000 hours average bulb life, 0.84w per bulb.

Color

Red

Green

Orange\* Teal\*

Pink\*


Pure White

Silver & Gold\* Warm White 5-Color Multi Candy Cane\*

Blue Purple\*

	Ewing SKU	Color
A	29552210	Red
В	29552220	Green
C	29552230	Blue
D	29552235	Purple*
B	29552240	Orange*
B	29552245	Yellow*
G	29552250	Teal*
H	29552255	Pink*
0	29552260	Cool White
J	29552270	Warm White
K	29552290	5-Color Multi









a C7 bulb. 60,000 hours average bulb life, 0.84w per bulb.

Ewing SKU	Color	
29552010	Red	
29552020	Green	
29552030	Blue	
29552035	Purple*	
29552040	Orange*	
29552045	Yellow*	
29552050	Teal*	-
29552060	Cool White	4
29552070	Warm White	
29552090	5-Color Multi	
	29552010 29552020 29552030 29552035 29552040 29552045 29552050 29552060 29552070	29552010 Red 29552020 Green 29552030 Blue 29552035 Purple* 29552040 Orange* 29552045 Yellow* 29552050 Teal* 29552060 Cool White 29552070 Warm White





## **5MM Pre-Balled LED Conical Lights**

70 Superbrite wide-angle lights at 4" spacing per strand with traditional pre-molded plugs. UL-approved to connect 43 strands end-to-end, .04 amps and 4.8 watts. Single piece construction, strand length is 23.5 feet.



	В	29553020
	C	29553030
	D	29553035
7	E	29553040
22		29553050
	G	29553055
	H	29553060
	П	29553065
	U	29553070
	K	29553090
		29553095



Ewing branch as in-season orders may not be available pre-balled.

**SAVE TIME** WITH **THESE** LIGHTS!



\*special order \*special order **2 ЕШІ́П**Б. ЕШІ́ПБ PREMIUM-GRADE LED BULBS **WIRE & CONNECTORS** 

#### **FlexFilament Premium C9 Bulbs**

These FlexFilament bulbs are the first to truly imitate the look & feel of traditional clear glass incandescent lamps—perfect for customers who prefer the beauty and nostalgia of traditional holiday lights.

- Offers the shape and rich warmth of traditional clear incandescence with the benefits of low wattage and low heat LED technology.
- NEW shatter-proof Poly-Flex construction does not break or yellow.
- Unique curved filament design best mimics tungsten filament incandescence.
- 2x brighter than other LED lamps given visible LEDs and increased surface area.
- Dimmable for brightness control.
- 25 bulbs per box, 250 bulbs per case.
- See front cover.

	Ewing SKU	Color
A	29552310	Red
В	29552320	Green
C	29552330	Blue
D	29552345	Yellow
E	29552360	Cool White
E	29552370	Warm White
G	29552390	5-Color Multi
H	29552170	C7 - Warm White*

#### **SMD Sun Warm Smooth Bulbs**

 Ewing SKU	Color
29552780	C9 – Warm White SMD Smooth
29552670	C7 - Warm White SMD Smooth*

#### Classic LED C7 & C9 Opaque Bulbs

The Classic series creates a vintage look that's indistinguishable from the ceramic incandescent bulbs of childhood memories. The thicker, polycarbonate opaque lens creates a more uniform radiance throughout the bulb.

	Ewing SKU	Color
A	29552410	Red
B	29552420	Green
C	29552430	Blue
D	29552440	Orange*
E	29552445	Yellow*
B	29552460	Cool White
C	29552470	Warm White
H	29552490	5-Color Multi
П	29552590	C7 - 5-Color Multi



























#### **B C7 Socket Wire**

C7 stringers (100 feet) or spools (1,000 feet) with 12-inch socket spacing.

Ewing SKU	Color	Size
29550100	Green	100'
29551100	Green	1,000'
29550105	White*	100'
29551105	White*	1,000'







#### **Blank Wire**

Light string with no sockets.

Ewing SKU	Color	Size	
29551200	Green	250'	
29551500	Green	1,000'	
29551205	White*	250'	
29551505	White*	1,000'	

#### Replacement Sockets

Used for custom applications or to replace damaged sockets on light strands.

Ewing SKU	Size
29509049	C9
29509047	C7

#### 10 Amp Polarized Zip Plugs (x10)

	Ewing SKU	Description	Size
E	29551910	Green Male Slide-On Plug	SPT-1
	29551915	White Male Slide-On Plug*	SPT-1
E	29551920	Green Female Slide-On Plug with Break-Away	SPT-1
	29551925	White Female Slide-On Plug with Break-Away*	SPT-1

\*special order \*special order 4 ЕШІ́ПБ. ЕШІ́ПБ ACCESSORIES GREENERY & DÉCOR



## **Mounting Clips And Stakes**

	Ewing SKU	Description
Α	29509010	All-In-One Holiday Light Clip, 100 per bag
В	29509015	All-N-1 + Holiday Light Clip, 100 per bag
C	29569079	C9 Circle Clip V2+, 100 per bag
D	29509020	Shingle Tabs for Holiday Lights
E	29509025	Parapet Clip for Permanent Mounting
E	29559039	Magnetic Clip for C7/C9 Socket Wire
G	29559070	Canny Sys. LS-06 7.5" Light Stake, 25 per bag
	29559170	3-way Grounded Holiday Splitter, 15 amp

### **Electrical**

	Ewing SKU	Description
	29558020	Green 20-foot, 16GA Extension Cord, 13 amp
J	29558040	Green 40-foot, 16GA Extension Cord, 13 amp
K	29558080	Green 80-foot, 16GA Extension Cord, 10 amp
L	29509110	2-way Mechanical Outdoor Timer, 15 amps
M	29509120	2-way Outdoor Timer with Photocell, 15 amp
N	29509160	HD Digital Outdoor Timer 2-outlet, 15 amp
0	29107900	Brilliance WiFi Smart Socket 3.0 Controller, 10 amp



## □ LED Pre-Lit Greenery

Features 5MM Warm White LED lamps.

Ewing SKU	Size	Lamps
29505010	9' x 14" garland (280 tips)	100
29505120	36" wreath (250 tips)	100
29505130	48" wreath (400 tips)	200
29505140	60" wreath (800 tips)	400
29505150	72" wreath (1,200 tips)	600
29505720	36" teardrop (76 tips)	50
29505730	48" teardrop (118 tips)	70

## **■ Unlit Greenery**

Ewing SKU	Size
29505200	9' x 14" garland (280 tips)
29505210	24" wreath (110 tips)
29505220	36" wreath (250 tips)
29505230	48" wreath (400 tips)
29505240	60" wreath (800 tips)
29505250	72" wreath (1,200 tips)
29505820	36" teardrop (76 tips)
29505830	48" teardrop (118 tips)

#### Decorative Red Velvet Bows

Premium bows feature a deeper red color with top-quality felt finish, which is more resistant to fade in sunlight.

Ewing SKU	Size
29505165	10" x 13" fits garland or 24" wreath (5 loop)
29505175	10" x 22" fits 36" wreath (5 loop)
29510181	10"x18" wired bow (7 loop)*
29505185	14" x 28" fits 48" wreath (7 loop)
29514285	14"x28" wired bow fits 48" wreath (7 loop)*
29505195	18" x 50" fits 60"-72" wreath (13 loop)
29518355	18"x35" wired bow fits 60"&72" wreath (7 loop)








\*special order

## 5MM Spotlite & Soft Twinkle Lights



## **Spotlite 5MM**

The Spotlite 5MM series has dome-lens tips for a miniature "spotlight" effect, projecting beautiful pools of light onto nearby surfaces, creating shadows onto adjacent structures and filling an area with light, which creates more dimension and brightness to any outdoor space.

- 70 lights per strand, 4-inch spacing.
- · Convex lensing for spotlight effect.

	Ewing SKU	Color
A	29553610	Red
В	29553620	Green
e	29553630	Blue
D	29553635	Purple
	29553650	Teal
E	29553655	Pink
G	29553660	Pure White
H	29553665	Silver & Gold
0	29553670	Warm White
J	29553690	5-Color Multi







#### **Soft Twinkle 5MM**

Unlike harsh strobing lights, these Soft Twinkle 5MM strands produce a more subtle, peaceful, soft glistening effect to animate landscape and architectural features.

- 70 lights per strand, 4-inch spacing.
- These lights twinkle at random allowing their effect to seem more natural and less robotic.

**TIP:** Turn a dry creek bed into a shimmering stream by overlaying static blue light strings with blue and pure white Soft Twinkle lights.

	Ewing SKU	Color
K	29553210	Red
	29553220	Green
M	29553230	Blue
N	29553260	Pure White
0	29553270	Warm White
P	29553290	5-Color Multi



SEE THESE LIGHTS TWINKLE!



# 5MM 50ct Pre-Balled LED Conical Lights

50 Superbrite wide-angle lights at 6" spacing per strand with traditional pre-molded plugs, 25.5' total length 4.8 watts per strand, Ul-approved to connect up to 45 sets end to end.


























	Ewing SKU	Color	Spacing
A	29553710	Red	6"
B	29553720	Green	6"
C	29553730	Blue	6"
D	29553735	Purple	6"
E	29553740	Orange	6"
E	29553750	Teal	6"
G	29553755	Pink	6"
	29553760	Pure White	6"
	29553770	Warm White	6"
J	29553790	5-Color Multi	6"

#### **G12 LED 70ct Raspberry Lights**

These 70 ct. light strands with traditional molded plugs are UL-approved to connect up to 43 strands end to end. 4.8 watts per strand. Strand length is 23.5 feet. 4" LED lamp spacing.

	Ewing SKU	Color	Spacing
K	29553310	Red	4"
	29553320	Green	4"
M	29553330	Blue	4"
N	29553335	Purple	4"
	29553340	Orange	4"
P	29553350	Teal*	4"
0	29553355	Pink*	4"
R	29553360	Pure White	4"
S	29553370	Warm White	4"
	29553390	5-Color Multi	4"
	29553395	Candy Cane*	4"





Dramatically reduces installation time! Check with your local Ewing Branch as in-season orders may not be available pre-balled.





#### **REGION SPECIFIC & SPECIAL ORDER Trunk Wrap & Net Lights**

## **Starburst & Icicle Lights**




Starburst LED Clusters\*

These warm white twinkling Starbursts are a versatile, labor-saving option for events, commercial and residential applications. With bendable outdoor-rated brown wire branches, they're perfect for hanging, mounting and adding ambience and animation to any project, anytime of the year.

TIP: Ground mount these Starbursts in a semi-circle for a floral effect.

	Ewing SKU	Color
A	29556570	24" Warm White (Single)
В	29556470	15" Warm White (Set of 3)









**SEE AN EXAMPLE OF THESE LIGHTS IN ACTION!** 



### **LED Icicle Lights\***

Perfect for mounting along roof lines for dramatic effect. White wire matches standard building trim color. Connect up to 43 sets end-to-end. Vertical drops are 19-inch, 14-inch and 9-inch. Spacing is 6-inch between drops. Total length is 7.5 feet, lit length is 7 feet. M5 bulb shape

	Ewing SKU	Color	
C	29555360	Pure White	
D	29555370	Warm White	





## **LED 2 x 6-foot Trunk Wraps**

Tree lighting made easy with 100 5MM pre-spaced LED lights on handy trunk wraps. Use for palms and other tall-trunked trees. Connect up to 30 sets end-to-end. Green wire, 100 light count.

	Ewing SKU	Color	Size
A	29555510	Red	2 x 6"
В	29555520	Green	2 x 6"
C	29555560	Pure White	2 x 6"
D	29555570	Warm White	2 x 6"

#### **LED 4 x 6-foot Net Lights**

Pre-spaced 5MM LED lights on easy-to-install nets create instant impact. Simplifies installations and creates a uniform look. Connect up to 30 sets end-to-end. Green wire, 100 light count.

	Ewing SKU	Color
E	29555610	Red
E	29555620	Green
G	29555630	Blue
H	29555660	Pure White
	29555670	Warm White
J	29555690	5-Color Multi





















BISTRO LIGHTING
BISTRO LIGHTING



# Bistro Wire - 24" Spacing with Drop Down Sockets

Not all wire is the same! Our bistro wire features 4-inch drop down sockets for a straight, vertical hang regardless of wire twists or the angle of installation. All 48- and 96-foot lengths have a 1-foot head and tail for ensuring even 24-inch spacing when plugged end-to-end.

	Ewing SKU	Voltage	Length	Lamps	
Α	29507030	12V	330'	165L	
В	29507050	120V	48'	24L	
C	29507100	120V	96'	48L	

## **S14 LED Bistro Bulbs (Dimmable)**

	Ewing SKU	Voltage	Color	Shell
D	29507210	12V, 1W	2200K	Glass
E	29507250	12V, 1W	2200K	Poly
F	29507220	120V, 2W	2200K	Glass
G	29507270	120V, 1W	2200K	Poly

#### **Bistro Accessories**

	Ewing SKU	Description
H	19501210	LETZGO LED 12 Volt 10A Dimmer
П	59309070	FX DIM-LV 12 Volt Low Voltage Dimme

Ewing offers Bistro Wire in bulk 330' spools & 12 volt LED S14 lamps that tie seamlessly into any new or existing 12V landscape lighting system for easy integration

**TIP:** Suspended S14 socket gives a straight look even when the wire is twisted or when installed at a steep pitch.









## **Bistro Support Cables**

	Ewing SKU	Description	Size
J	29507500	Bulk 1/8" Catenary Cable	500'
K	29507505	Kit for 29507050	60'
	29507510	Kit for 29507100	110'
M	29507520	Gripple Cable Locks	4-pack
N	29507530	Tensioning Tool*	-

#### **Premium Bistro Connectors**

	Ewing SKU	Description
0	29507600	Coupler
Р	29507605	Tee
Q	29507610	Cross
R	17000510	18-8 Gauge ACE Connector, 50-pack
S	19031990	BSC Medium Brass Barrel Wire Connector, 2-pack
S	19031991	BSC Medium Brass Barrel Wire Connector, 50-pack
S	19031997	BSC Small Brass Barrel Wire Connector, 2-pack
S	19031998	BSC Small Brass Barrel Wire Connector, 50-pack









#### **LOW VOLTAGE (12V) 5MM LED**





Tap these transformer-ready 5MM LED string lights into any 12V landscape lighting system! These are a great option for HOAs, landscape beds, parking lot islands, entrances or anywhere you have low voltage lighting but no power outlet! This brown wire is ideal for a year-round installation and blends in with tree-bark.

#### Low Voltage (12V) 5MM LED String Lights -**BROWN** Wire

12V 5MM strands in brown wire. Includes 50 bulbs per set, 6-inch spacing, 25-foot length, 3.2w per set. Connect up to 10 sets end-to-end. 12V transformer-ready with co-axial connections.

Ewing SKU	Description	
29553570	25' Light Strand Warm White 12V	_
29553580	6' Transformer Power Lead	9
29553590	12' Spacer	



#### **Light Strand**



12V Light Strand with weatherproof co-axial connections.

#### Power Lead



Transition from landscape lighting to co-axial connection on light strands

#### Spacer



12 ft. Extension Cord. use between sets, co-axial both ends.

## **Experience the Ewing Advantage**

#### **PROFESSIONAL GRADE PRODUCTS**

Ewing sells professional grade lighting of uncompromising quality. Premium grade materials and consistent sourcing allow us to product match and color match year over year. Rather than contract lowest bid each year, Ewing sources from the same reliable factories we've worked with for many years. This commitment to consistency offers peace of mind to professionals building their business or adding to existing projects.

#### **BUY HOLIDAY LIGHTING AS YOU NEED IT**

Ewing is committed to eliminating adverse risk to your business, with no minimum order amount and no case quantity requirement you are free to buy as needed. Maximize year end sales while minimizing opportunity costs and carry over. Ewing offers you a risk free Holiday supplier, improved cash flow management and peace of mind during an uncertain business climate whether early order or late season.

#### LARGE COMMITMENT TO INVENTORY ON HAND

High depth of stock investment coupled with multiple store stock strategy allow us to move inventory in and out of markets quickly in season. Our stock strategy allows Ewing to offer a local source for Holiday lighting both in season as well as throughout the entire calendar year. Availability will vary year to year!

#### **LOCAL CONNECTIONS**

Ewing offers credit terms, cash account rebates and unparalleled customer service- providing value on line sellers cannot. We sell what you need when you need it, offer delivery options to the job site and allow returns on Holiday through December 1st. We have the ability to help you find and source special order requests in season, partnering with importers across the country. We are the local supplier of goods and services - building reliable partnerships as we help you grow your business.



#### **HOW TO ORDER**

- 1. **Choose your products.** Select your desired products from this catalog and note the corresponding Ewing part number and desired quantity.
- 2. **Contact your local Ewing** to confirm availability and pricing. (Some items may only be available in select regions, may require case quantity purchase and may require freight to be added to the landed cost.)
- 3. Submit your order.

#### RETURN POLICY

Due to the seasonal nature of holiday lighting and decor products, no returns will be accepted after December 1 of the year product was purchased. Any product returned for reasons other than manufacture defect will require administrative approval and will be subjected to a 15% restocking fee.

All special orders and non-stock sales are final, all special order items are pre-paid by buyer.

Any product that appears used, not in original packaging or not in original condition will NOT be accepted for return. All freight charges associated with return of products are the responsibility of the returning buyer.

#### SPECIAL ORDERS

- 1. **Choose your products.** Note the corresponding Ewing part number (or manufacturer part number) located in the shaded box and desired quantity.
- 2. **Contact your local Ewing** to confirm availability, pricing and any associated freight.
- 3. **Submit your order.** All deliveries typically arrive within two weeks. Some special order products may only be purchased in case quantity.

#### WARRANTY

All holiday decor products are either UL or CSA/US approved and are warranted against defects for one year from the date of purchase. All holiday decor products are manufactured and rated for temporary installation (up to 90 days at a time) and are not intended for permanent or year round, continuous use. The warranty is null and void if product is used or installed in a manner other than specified by the manufacturer guidelines and recommendations. Product that has been cut or altered in any way will not be eligible for warranty. The warranty applies to product only and does not relate to the costs incurred for shipping fees or labor-related fees for installation or removal of products. Please contact Ewing for specific warranty return procedures.

14 ЕШІПБ EWING 15







EwingOutdoorSupply.com